

AD 3.4 ALEXANDROUPOLIS / GENERAL HOSPITAL**AD 3.4.1 HELIPORT NAME AND INDICATORS**

1. Location Indicator	2. Name	3. Grouping Indicator
NIL	ALEXANDROUPOLIS / GENERAL HOSPITAL	D/HEL

AD 3.4.2 HELIPORT GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	Heliport reference point coordinates and site at heliport	405149.00N 0254818.30E, geometric centre of TLOF
2	Direction and distance from (city)	Within the University General Hospital area.
3	Elevation/Reference temperature	69.7 M (228.77 FT) / NIL
4	Geoid undulation at ELEV PSN	NIL
5	MAG VAR/Annual change	4°08'E (4.13°E) (JAN 2010) / 4.00'E (0.0667°E) increasing
6	Heliport Administration, address, telephone, telefax, telex, AFS	University General Hospital of Alexandroupolis GR 68100 Dragana Alexandroupolis TEL: +30 25513-53620, 25513-53612, FAX: +30 25513-53611, 25513-53615 e-mail: grdioikiti@pgna.gr
7	Types of traffic permitted (IFR/VFR)	VFR
8	Remarks	Supervised by CAA

AD 3.4.3 OPERATIONAL HOURS

1	Heliport Administration	HX
12	Remarks	HX: night and day O/R

AD 3.4.4 HANDLING SERVICES AND FACILITIES

NIL

AD 3.4.5 PASSENGER FACILITIES

NIL

AD 3.4.6 RESCUE AND FIRE FIGHTING SERVICES

1	AD category for fire fighting	H2
4	Remarks	NIL

AD 3.4.7 SEASONAL AVAILABILITY - CLEARING

NIL

AD 3.4.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

NIL

AD 3.4.9 MARKINGS AND MARKERS

1	Final approach and take-off markings	Heliport identification (H, +), TLOF edge
2	TWY, air TWY, air transit route markers	NIL
3	Remarks	NIL

AD 3.4.10 HELIPORT OBSTACLES

In Area 2					
OBST ID/ Designation	OBST type	OBST position	ELEV / HGT	Markings/ Type, colour	Remarks
a	b	c	d	e	f
NIL	NIL	NIL	NIL	NIL	NIL

In Area 3					
OBST ID/ Designation	OBST type	OBST position	ELEV / HGT	Markings/ Type, colour	Remarks
a	b	c	d	e	f
NIL	NIL	NIL	NIL	NIL	NIL

AD 3.4.11 METEOROLOGICAL INFORMATION PROVIDED

NIL

AD 3.4.12 HELIPORT DATA

1	Heliport type	Surface level
2	TLOF dimensions	27 x 27 M
3	FATO, GEO bearings	030° / 180° GEO
4	FATO dimensions and SFC type	27 x 27 M, Asphalt
5	TLOF, SFC and BRG strength	Asphalt
6	Coordinates of geometric centre TLOF or THR of FATO and geoid undulation	TLOF: 405149.00N 0254818.30E / NIL
7	TLOF/FATO, elevation and slope	TLOF: 69.7 M (228.77 FT)/ NIL
8	Safety area dimensions	4.50 M width
9	HEL CWY dimensions	NIL
10	Obstacle free sector	NIL
11	Remarks	To be used by helicopters with maximum overall length 18M. Not marked/ Not lighted high voltage transmission line (two pylons and overhead wires) beneath the Approach-Take-off surface (slope 8%) at azimuth 180°, 82 TO 85 meters above MSL, at a distance of about 490 meters from the center of the heliport. Caution is recommended

AD 3.4.13 DECLARED DISTANCES

NIL

AD 3.4.14 APPROACH AND FATO LIGHTING

2	Type of visual approach slope indicator system	HAPI
5	TLOF LGT system characteristics and location	Perimetric floor lighting, flood lights.
6	Remarks	HAPI descent angle: 7° not certified. Twin obstacle lights, at the top of the Hospital's stairwell and at the chimney of Medical school.

AD 3.4.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	Heliport BCN location and characteristics Hours of operation	Beacon is located at the centre of the Hospital Unit, at an elevated point.
2	WDI location and LGT	Lighted
4	Secondary power supply/switch-over time	NIL
5	Remarks	NIL

AD 3.4.16 ATS AIRSPACE

NIL

AD 3.4.17 ATS COMMUNICATION FACILITIES

NIL

AD 3.4.18 ATS RADIO NAVIGATION AND LANDING AIDS

NIL

AD 3.4.19 LOCAL TRAFFIC REGULATIONS**3.4.19.1 Heliport regulations**

3.4.19.1.1 NIL

AD 3.4.20 NOISE ABATEMENT PROCEDURES

3.4.20.1 NIL

AD 3.4.21 FLIGHT PROCEDURES**3.4.21.1 General**

3.4.21.1.1 NIL

AD 3.4.22 ADDITIONAL INFORMATION

3.4.22.1 NIL

AD 3.4.23 CHARTS RELATED TO THE HELIPORT

NIL