

AD 3.18 ATTIKI / KOROI AGIA MARINA**AD 3.18.1 HELIPORT NAME AND INDICATORS**

1. Location Indicator	2. Name	3. Grouping Indicator
NIL	ATTIKI / KOROI AGIA MARINA	P/HEL

AD 3.18.2 HELIPORT GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	Heliport reference point coordinates and site at heliport	374955.87N 0235256.87E, geometric centre of TLOF
2	Direction and distance from (city)	At a distance of 3.2 km from Agia Marina crossroad to Koropi, on the right side to the mountain.
3	Elevation/Reference temperature	126.88 M (416.44 FT) / NIL
4	Geoid undulation at ELEV PSN	NIL
5	MAG VAR/Annual change	3°45'E (3.75°E) (JAN 2010) / 4.20'E (0.0700°E) increasing
6	Heliport Administration, address, telephone, telefax, telex, AFS	HELIPORT KOPTERLAND LIMITED TEL.:210-8910111 FAX:210-8945838
7	Types of traffic permitted (IFR/VFR)	VFR
8	Remarks	PPR by the owner. Supervised by CAA

AD 3.18.3 OPERATIONAL HOURS

1	Heliport Administration	HX
12	Remarks	HX: daily hours O/R

AD 3.18.4 HANDLING SERVICES AND FACILITIES

NIL

AD 3.18.5 PASSENGER FACILITIES

NIL

AD 3.18.6 RESCUE AND FIRE FIGHTING SERVICES

1	AD category for fire fighting	H1
4	Remarks	NIL

AD 3.18.7 SEASONAL AVAILABILITY - CLEARING

NIL

AD 3.18.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

NIL

AD 3.18.9 MARKINGS AND MARKERS

1	Final approach and take-off markings	Heliport identification (H), TLOF edge, TDZ marking.
2	TWY, air TWY, air transit route markers	NIL
3	Remarks	NIL

AD 3.18.10 HELIPORT OBSTACLES

In Area 2					
OBST ID/ Designation	OBST type	OBST position	ELEV / HGT	Markings/ Type, colour	Remarks
a	b	c	d	e	f
NIL	NIL	NIL	NIL	NIL	NIL

In Area 3					
OBST ID/ Designation	OBST type	OBST position	ELEV / HGT	Markings/ Type, colour	Remarks
a	b	c	d	e	F
NIL	NIL	NIL	NIL	NIL	NIL

AD 3.18.11 METEOROLOGICAL INFORMATION PROVIDED

NIL

AD 3.18.12 HELIPORT DATA

1	Heliport type	Elevated
2	TLOF dimensions	20 M in diameter
3	FATO, GEO bearings	010° / 220° GEO
4	FATO dimensions and SFC type	20 M in diameter, concrete
5	TLOF, SFC and BRG strength	Concrete
6	Coordinates of geometric centre TLOF or THR of FATO and geoid undulation	TLOF: 374955.87N 0235256.87E / NIL
7	TLOF/FATO, elevation and slope	TLOF: 126.88 M (416.44 FT) / NIL
8	Safety area dimensions	NIL
9	HEL CWY dimensions	NIL
10	Obstacle free sector	NIL
11	Remarks	To be used by helicopters with maximum length 13 M.

AD 3.18.13 DECLARED DISTANCES

NIL

AD 3.18.14 APPROACH AND FATO LIGHTING

2	Type of visual approach slope indicator system	NIL
5	TLOF LGT system characteristics and location	NIL
6	Remarks	NIL

AD 3.18.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	Heliport BCN location and characteristics Hours of operation	NIL
2	WDI location and LGT	Not lighted
4	Secondary power supply/switch-over time	NIL
5	Remarks	NIL

AD 3.18.16 ATS AIRSPACE

NIL

AD 3.18.17 ATS COMMUNICATION FACILITIES

NIL

AD 3.18.18 ATS RADIO NAVIGATION AND LANDING AIDS

NIL

AD 3.18.19 LOCAL TRAFFIC REGULATIONS**3.18.19.1.1 Heliport regulations**

3.18.19.1.1.1 The heliport will be used exclusively for the needs of the company KOPTERLAND S.A.. as well as for the needs of persons who have obtained the permission of the owner, without fee.

AD 3.18.20 NOISE ABATEMENT PROCEDURES**3.18.20.1** NIL**AD 3.18.21 FLIGHT PROCEDURES****3.18.21.1 General**

3.18.21.1.1 Heliport is located within ATHINAI TMA (see **ENR 2.1.5.2**) and within ATHINAI CTR.

3.18.21.1.2 Prior coordination with LGAV-ATHINAI ELEFThERIOS VENIZELOS ATS unit (see **LGAV AD 2**) is required. Helicopters operating from the heliport will start up only after having received clearance from VENIZELOS TOWER.

3.18.21.1.3 Flights to and from the heliport shall be conducted according to the ATS Rules and follow the VFR Routes and altitudes within ATHINAI TMA see **ENR 2.1.5.2**, **ENR 1.2.12.1.c** (note 2), **LGAV AD 2.22** and relevant charts in **LGAV AD 2.24**.

AD 3.18.22 ADDITIONAL INFORMATION**3.18.22.1** NIL**AD 3.18.23 CHARTS RELATED TO THE HELIPORT**

NIL