

AD 3.46 OTHONOI

AD 3.46.1 HELIPORT NAME AND INDICATORS

1. Location Indicator	2. Name	3. Grouping Indicator
NIL	OTHONOI	M/HEL

AD 3.46.2 HELIPORT GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	Heliport reference point coordinates and site at heliport	395138.47N 0192513.89E, geometric centre of TLOF
2	Direction and distance from (city)	At the North side of the island, at location Vigla, 4 Km from the town of the island.
3	Elevation/Reference temperature	129.32 M (424.46 FT) / NIL
4	Geoid undulation at ELEV PSN	NIL
5	MAG VAR/Annual change	3°07'E (3.12°E) (JAN 2010) / 4.60'E (0.0767°E) increasing
6	Heliport Administration, address, telephone, telefax, telex, AFS	Othonoi Heliport Municipality of Kerkira Tel : +30 26613 62701, +30 26613 62700 Fax : +30 26610 25555 Community of Othonoi Tel : +30 26610 24252 Fax : +30 26610 24252 E mail: diapontianisia@gmail.com
7	Types of traffic permitted (IFR/VFR)	VFR
8	Remarks	Supervised by CAA

AD 3.46.3 OPERATIONAL HOURS

1	Heliport Administration	HX
12	Remarks	HX: night and day O/R

AD 3.46.4 HANDLING SERVICES AND FACILITIES

NIL

AD 3.46.5 PASSENGER FACILITIES

NIL

AD 3.46.6 RESCUE AND FIRE FIGHTING SERVICES

1	AD category for fire fighting	H3
4	Remarks	NIL

AD 3.46.7 SEASONAL AVAILABILITY - CLEARING

NIL

AD 3.46.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

NIL

AD 3.46.9 MARKINGS AND MARKERS

1	Final approach and take-off markings	Heliport identification (H), TLOF edge, TDZ marking
2	TWY, air TWY, air transit route markers	NIL
3	Remarks	NIL

AD 3.46.10 HELIPORT OBSTACLES

In Area 2					
OBST ID/ Designation	OBST type	OBST position	ELEV / HGT	Markings/ Type, colour	Remarks
a	b	c	d	e	f
NIL	NIL	NIL	NIL	NIL	NIL

In Area 3					
OBST ID/ Designation	OBST type	OBST position	ELEV / HGT	Markings/ Type, colour	Remarks
a	b	c	d	e	f
NIL	NIL	NIL	NIL	NIL	NIL

AD 3.46.11 METEOROLOGICAL INFORMATION PROVIDED

NIL

AD 3.46.12 HELIPORT DATA

1	Heliport type	Surface level
2	TLOF dimensions	36 x 45 M
3	FATO, GEO bearings	136° / 288° GEO
4	FATO dimensions and SFC type	36 x 45 M, concrete
5	TLOF, SFC and BRG strength	concrete
6	Coordinates of geometric centre TLOF or THR of FATO and geoid undulation	TLOF: 395138.47N 0192513.89E / NIL
7	TLOF/FATO, elevation and slope	TLOF: 129.32 M (424.46 FT) / NIL
8	Safety area dimensions	6.00 M width
9	HEL CWY dimensions	NIL
10	Obstacle free sector	NIL
11	Remarks	To be used by helicopters with maximum length 24 M.

AD 3.46.13 DECLARED DISTANCES

NIL

AD 3.46.14 APPROACH AND FATO LIGHTING

2	Type of visual approach slope indicator system	HAPI
5	TLOF LGT system characteristics and location	Perimetric floor lighting, flood lights
6	Remarks	HAPI descent angle: 7° not certified.

AD 3.46.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	Heliport BCN location and characteristics Hours of operation	NIL
2	WDI location and LGT	Lighted
4	Secondary power supply/switch-over time	NIL
5	Remarks	NIL

AD 3.46.16 ATS AIRSPACE

NIL

AD 3.46.17 ATS COMMUNICATION FACILITIES

NIL

AD 3.46.18 ATS RADIO NAVIGATION AND LANDING AIDS

NIL

AD 3.46.19 LOCAL TRAFFIC REGULATIONS**3.46.19.1 Heliport regulations**

3.46.19.1.1 NIL

AD 3.46.20 NOISE ABATEMENT PROCEDURES

3.46.20.1 NIL

AD 3.46.21 FLIGHT PROCEDURES**3.46.21.1 General**3.46.21.1.1 Heliport is located within KERKIRA TMA (see **ENR 2.1.5.6**).3.46.21.1.2 Prior coordination with LGKR-KERKIRA ATS unit (see **LGKR AD 2.18**) IS REQUIRED. Helicopters operating from the heliport will start up, only after having received clearance from KAPODISTRIAS TWR and shall follow the given instructions and limitations.3.46.21.1.3 Helicopter flights to/from the heliport shall be conducted according to the ATS Rules and follow the VFR Routes and Altitudes within KERKIRA TMA (see **ENR 1.2.12.1** as well as **LGKR 2.22** and relevant charts in **LGKR AD 2.24**)**AD 3.46.22 ADDITIONAL INFORMATION**

3.46.22.1 NIL

AD 3.46.23 CHARTS RELATED TO THE HELIPORT

NIL