

AD 3.68 PIRAEUS / AMPHIALI**AD 3.68.1 HELIPORT NAME AND INDICATORS**

1. Location Indicator	2. Name	3. Grouping Indicator
LGAM*	PIRAEUS / AMPHIALI	MIL/HEL

AD 3.68.2 HELIPORT GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	Heliport reference point coordinates and site at heliport	375930N 0233428E** geometric centre of TLOF
2	Direction and distance from (city)	BRG 280°, 7.3 NM from Acropolis hill Athens
3	Elevation/Reference temperature	7.93 M (26 FT) / NIL
4	Geoid undulation at ELEV PSN	NIL
5	MAG VAR/Annual change	NIL / NIL
6	Heliport Administration, address, telephone, telefax, telex, AFS	Hellenic Navy Helicopter Station TEL: NIL FAX: NIL
7	Types of traffic permitted (IFR/VFR)	VFR
8	Remarks	Civil helicopter flights not permitted *= station is not connected to the AFTN **=Coordinates in WGS 84

AD 3.68.3 OPERATIONAL HOURS

1	Heliport Administration	HX
5	ATS	HX (Hellenic Navy)
12	Remarks	HX: O/R

AD 3.68.4 HANDLING SERVICES AND FACILITIES

2	Fuel/oil types	O/R
7	Remarks	NIL

AD 3.68.5 PASSENGER FACILITIES

NIL

AD 3.68.6 RESCUE AND FIRE FIGHTING SERVICES

1	Heliport category for fire fighting	NIL
4	Remarks	NIL

AD 3.68.7 SEASONAL AVAILABILITY - CLEARING

NIL

AD 3.68.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

NIL

AD 3.68.9 MARKINGS AND MARKERS

1	Final approach and take-off markings	Heliport identification, TLOF edge.
2	TWY, air TWY, air transit route markers	NIL
3	Remarks	NIL

AD 3.68.10 HELIPORT OBSTACLES

In Area 2					
OBST ID/ Designation	OBST type	OBST position	ELEV / HGT	Markings/ Type, colour	Remarks
a	b	c	d	e	f
NIL	NIL	NIL	NIL/NIL	NIL	NIL

In Area 3					
OBST ID/ Designation	OBST type	OBST position	ELEV / HGT	Markings/ Type, colour	Remarks
a	b	c	d	e	f
NIL	NIL	NIL	NIL	NIL	NIL

AD 3.68.11 METEOROLOGICAL INFORMATION PROVIDED

NIL

AD 3.68.12 HELIPORT DATA

1	Heliport type	Surface level
2	TLOF dimensions	Octagonal, distance between the four pairs of parallel sites 75 M
3	FATO, GEO bearings	060/ 270°
4	FATO dimensions and SFC type	Octagonal, distance between the four pairs of parallel sites 75M, asphalt
5	TLOF, SFC and BRG strength	asphalt SIWL 25000 LB
6	Coordinates of geometric centre TLOF or THR of FATO and geoid undulation	TLOF: 375930N 0233428E** / NIL
7	TLOF/FATO, elevation and slope	NIL / 7.93M(26 ft)
8	Safety area dimensions	NIL
9	HEL CWY dimensions	NIL
10	Obstacle free sector	NIL
11	Remarks	** = Coordinates in WGS 84

AD 3.68.13 DECLARED DISTANCES

NIL

AD 3.68.14 APPROACH AND FATO LIGHTING

2	Type of visual approach slope indicator system	NIL
5	TLOF LGT system characteristics and location	NIL
6	Remarks	BDRY and OBST lighting.

AD 3.68.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	Heliport BCN location and characteristics Hours of operation	ABN
2	WDI location and LGT	Not lighted.
4	Secondary power supply/switch-over time	NIL
5	Remarks	NIL

AD 3.68.16 ATS AIRSPACE

NIL

AD 3.68.17 ATS COMMUNICATION FACILITIES

Service designation	Call sign	Frequency / VHF CH	Operational hours	Remarks
1	2	3	4	5
TWR	AMPHIALI TOWER	128.700 277.950 MHz	HX HX	Primary freq Coverage FL 40 / 25 NM MIL
All ATS Communication Facilities under responsibility of Hellenic Navy.				

AD 3.68.18 ATS RADIO NAVIGATION AND LANDING AIDS

NIL

AD 3.68.19 LOCAL TRAFFIC REGULATIONS**3.68.19.1 Heliport regulations**

3.68.19.1.1 NIL

AD 3.68.20 NOISE ABATEMENT PROCEDURES

3.68.20.1 NIL

AD 3.68.21 FLIGHT PROCEDURES**3.68.21.1 General**

3.68.21.1.1 Heliport is located within ATHINAL TMA. For IFR and VFR flights within ATHINAL TMA see **ENR 2.1.5.2** and **ENR 1.2.12.1.c) note 2**, as well as **LGAV AD 2.22** and relevant charts in **LGAV AD 2.24**.

AD 3.68.22 ADDITIONAL INFORMATION

3.68.22.1 NIL

AD 3.68.23 CHARTS RELATED TO A HELIPORT

NIL