

LRBN AD 2.1 AERODROME LOCATION INDICATOR AND NAME
LRBN - BISTRITA/Bistrița**LRBN AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA**

1	ARP coordinates and site at AD	470930N 0243306E, runway centre.
2	Direction and distance from city	060°, 5 KM from BISTRITA.
3	Elevation/Reference temperature	1322 FT / 27.5°C
4	Geoid undulation at AD ELEV PSN	99 FT
5	MAG VAR /Annual rate of change	5°E(2015)/2.4'E
6	AD Administration, address, telephone, telefax, e-mail, AFS, website	SC EUROCOMPOZITE SRL Bistrița, Str. Livezi, nr. 10, Bistrița, jud. BN Tel/Fax: +40-(0)263-234206, +40-(0)263-234659 Mobil: +40-(0)744-556279 E-mail: contact@eurocompozite.ro
7	Types of traffic permitted (IFR/VFR)	VFR
8	Remarks	NIL

LRBN AD 2.3 OPERATIONAL HOURS

1	AD Administration	HX
2	Customs and immigration	NIL
3	Health and sanitation	NIL
4	AIS Briefing Office	HX
5	ATS Reporting Office (ARO)	NIL
6	MET Briefing Office	NIL
7	ATS	NIL
8	Fuelling	NIL
9	Handling	NIL
10	Security	H24 / Surveillance Cameras and Alert System
11	De-icing	NIL
12	Remarks	Services are available on request submitted to the AD with 24 hours in advance.

LRBN AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	NIL
2	Fuel/Oil types	NIL
3	Fuelling facilities/capacity	NIL
4	De-icing facilities	NIL
5	Hangar space for visiting aircraft	436 M ² (for 5 ultralights), maximum height 3.0 M
6	Repair facilities for visiting aircraft	Only for ultralights.
7	Remarks	OPC frequency 131.655 MHz. Services are available on request submitted to the AD with 24 hours in advance.

LRBN AD 2.5 PASSENGER FACILITIES

1	Hotels	Hotels in Bistrița, hostel & pension in Unirea & Livezile.
2	Restaurants	Restaurants in Bistrița/Unirea/Livezile. Snack bar on the AD. Catering services on request.
3	Transportation	Local bus/Taxi/"Rent-a-car" service on request.
4	Medical facilities	In Bistrița.
5	Bank and Post Office	In Bistrița.
6	Tourist Office	InfoPoint at the AD.
7	Remarks	NIL

LRBN AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	AD category for fire fighting	CAT 1 / Within AD operational hours.
2	Rescue equipment	One car , rescue equipment, 450 l foam and dry chemical powder.
3	Capability for removal of disabled aircraft	One car only for Ultralights.
4	Remarks	NIL

LRBN AD 2.7 SEASONAL AVAILABILITY - CLEARING

1	Types of clearing equipment	1 tractor with blade
2	Clearance priorities	1. Access road 2. RWY 05/23 3. Apron
3	Remarks	Information about snow clearance on request , available by phone.

**LRBN AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS DATA**

1	Apron designation, surface and strength	Surface: Concrete Strength: 5700 kg
2	Taxiway designation, width, surface and strength	NIL. Direct access from APRON to RWY via grass strip.
3	ACL location and elevation	NIL
4	VOR checkpoints	NIL
5	INS checkpoints	NIL
6	Remarks	NIL

LRBN AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand ID signs, TWY guide lines and visual docking/parking guidance system of aircraft stands	NIL
2	RWY and TWY markings and LGT	RWY: Designation TWY: Nil. Direct access from APRON to RWY via grass strip.
3	Stop bars	NIL
4	Remarks	NIL

LRBN AD 2.10 AERODROME OBSTACLES

In Area 2					
OBST ID/ Designation	OBST type	OBST position	ELEV/HGT	Markings/ Type, color	Remarks
1	2	3	4	5	6
NIL					

In Area 3					
OBST ID/ Designation	OBST type	OBST position	ELEV/HGT	Markings/ Type, color	Remarks
1	2	3	4	5	6
NIL					

LRBN AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Associated MET Office	NIL
2	Hours of service MET Office outside hours	NIL
3	Office responsible for TAF preparation Periods of validity Interval of issuance	NIL
4	Type of landing forecast Interval of issuance	NIL
5	Briefing / consultation provided	NIL
6	Flight documentation Language(s) used	NIL
7	Charts and other information available for briefing or consultation	NIL
8	Supplementary equipment available for providing information	NIL
9	ATS units provided with information	NIL
10	Additional information (limitation of service, etc.)	Basic weather informations available on request, by phone.

LRBN AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations RWY NR	TRUE BRG	Dimensions of RWY (M)	Strength (PCN) and surface of RWY and SWY	THR coord RWY end coord THR geoid undulation	THR elevation and highest elevation of TDZ of precision APP RWY	Slope of RWY-SWY
1	2	3	4	5	6	7
05	058.13°	790x20	5700 kg Grass	470923.72N 0243250.93E 470937.22N 0243322.79E GUND 99 FT	1303 FT	0% (400M) 1.40% (390M)
23	238.13°	790x20	5700 kg Grass	470937.22N 0243322.79E 470923.72N 0243250.93E GUND 99 FT	1322 FT	-1.40% (390M) 0% (400M)
SWY dimensions (M)	CWY dimensions (M)	Strip dimensions (M)	RESA dimensions (M)	Location and description of ARST system	OFZ	Remarks
8	9	10	11	12	13	14
NIL	NIL	850 x 60	NIL	NIL	NIL	NIL
NIL	NIL	850 x 60	NIL	NIL	NIL	NIL

LRBN AD 2.13 DECLARED DISTANCES

RWY designator	TORA (M)	TODA (M)	ASDA (M)	LDA (M)	Remarks
1	2	3	4	5	6
05	790	790	790	790	NIL
23	790	790	790	790	NIL

LRBN AD 2.14 APPROACH AND RWY LIGHTING

RWY Designator	APCH LGT type	THR LGT colour	VASIS (MEHT) PAPI	TDZ, LGT LEN	RWY Centre Line LGT Length, spacing, colour, INTST	RWY edge LGT LEN, spacing, colour, INTST	RWY End LGT colour WBAR	SWY LGT LEN(M) colour	Remarks
1	2	3	4	5	6	7	8	9	10
NIL									

LRBN AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	ABN / IBN location, characteristics and hours of operation	NIL
2	LDI location and LGT Anemometer location and LGT	NIL
3	TWY edge and centre line lighting	NIL
4	Secondary power supply/switch-over time	NIL
5	Remarks	NIL

LRBN AD 2.16 HELICOPTER LANDING AREA

1	Coordinates TLOF or THR of FATO Geoid undulation	NIL
2	TLOF and/or FATO elevation M/FT	NIL
3	TLOF and FATO area dimensions, surface, strength, marking	NIL
4	True and MAG BRG of FATO	NIL
5	Declared distance available	NIL
6	APP and FATO lighting	NIL
7	Remarks	NIL

LRBN AD 2.17 ATS AIRSPACE

1	Designation and lateral limits	NIL
2	Vertical limits	NIL
3	Airspace classification	NIL
4	ATS unit call sign Language(s)	NIL
5	Transition altitude	NIL
6	Hours of applicability	NIL
7	Remarks	NIL

LRBN AD 2.18 ATS COMMUNICATION FACILITIES

Service designation	Call sign	Frequency	Hours of operation	Remarks
1	2	3	4	5
NIL				

LRBN AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aid, MAG VAR CAT of ILS/MLS (For VOR/ILS/MLS give declination)	ID	Frequency	Hours of operation	Site of transmitting antenna coordinates	Elevation of DME transmitting antenna (FT)	Remarks
1	2	3	4	5	6	7
NIL						

LRBN AD 2.20 LOCAL AERODROME REGULATIONS

AD without TWY. Direct access from APRON to RWY via grass strip.

LRBN AD 2.21 NOISE ABATEMENT PROCEDURES

See AD 1.1-3

LRBN AD 2.22 FLIGHT PROCEDURES

- NIL -

LRBN AD 2.23 ADDITIONAL INFORMATION

- NIL -

LRBN AD 2.24 CHARTS RELATED TO THE AERODROME

Aerodrome Chart - ICAOAD 2.26-20
Visual Operations Chart - RWY 05/23 Aerodrome traffic circuit.....AD 2.26-40

LRBN AD 2.25 VISUAL SEGMENT SURFACE (VSS) PENETRATION

- NIL -