

**LRCB AD 2.1 AERODROME LOCATION INDICATOR AND NAME**
LRCB - ARAD/Charlie-Bravo Şiria**LRCB AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA**

1	ARP coordinates and site at AD	461618N 0213622E, runway centre
2	Direction and distance from city	2.3 km west from Şiria, 24.5 km east from Arad
3	Elevation/Reference temperature	362 FT, (110 M) / 23.8°C
4	Geoid undulation at AD ELEV PSN	140 FT
5	MAG VAR /Annual rate of change	4°E(2010)/2.9'E
6	AD Administration, address, telephone, telefax, e-mail, AFS, website	Aerodrom "Charlie-Bravo Şiria", Comuna Şiria, FN, Jud. Arad, cod. 317340 Tel. 0722 500 354 E-mail: airclub@charlie-bravo.ro AFS: - SITA: -
7	Types of traffic permitted (IFR/VFR)	VFR
8	Remarks	NIL

LRCB AD 2.3 OPERATIONAL HOURS

1	AD Administration	HX
2	Customs and immigration	NIL
3	Health and sanitation	NIL
4	AIS Briefing Office	NIL
5	ATS Reporting Office (ARO)	NIL
6	MET Briefing Office	NIL
7	ATS	NIL
8	Fuelling	NIL
9	Handling	NIL
10	Security	NIL
11	De-icing	NIL
12	Remarks	Services (HX) are available on request submitted to the AD with 24 hours in advance.

LRCB AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	Nil
2	Fuel/Oil types	Nil
3	Fuelling facilities/capacity	Nil
4	De-icing facilities	Nil
5	Hangar space for visiting aircraft	Nil
6	Repair facilities for visiting aircraft	Available only for ultralights A/C.
7	Remarks	Şiria OPC frequency 131.710 Mhz.

LRCB AD 2.5 PASSENGER FACILITIES

1	Hotels	Hotels and motels in Şiria and Arad
2	Restaurants	Restaurants in Şiria and Arad
3	Transportation	"Rent-a-car" service on request from Arad, Bus Şiria-Arad, taxis from Arad.
4	Medical facilities	Hospital in Arad
5	Bank and Post Office	In Şiria and Arad
6	Tourist Office	Tourist Info/Center in Şiria and Arad
7	Remarks	NIL

LRCB AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	AD category for fire fighting	Within AD HR: CAT 1.
2	Rescue equipment	One car, rescue equipment
3	Capability for removal of disabled aircraft	NIL
4	Remarks	NIL

LRCB AD 2.7 SEASONAL AVAILABILITY - CLEARING

1	Types of clearing equipment	NIL
2	Clearance priorities	NIL
3	Remarks	Information about snow clearance on request, available by phone.

**LRCB AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS DATA**

1	Apron designation, surface and strength	Surface: Grass Strength: 5700 kg
2	Taxiway designation, width, surface and strength	A, B, C, D Width: 14 M Surface: Grass Strength: 5700 kg
3	ACL location and elevation	NIL
4	VOR checkpoints	NIL
5	INS checkpoints	NIL
6	Remarks	NIL

LRCB AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand ID signs, TWY guide lines and visual docking/parking guidance system of aircraft stands	Taxiing guidance signs on TWY and RWY Signs at holding position.
2	RWY and TWY markings	RWY: Designation, edge marked white TWY: Designation, edge marked yellow
3	Stop bars	Nil
4	Remarks	Nil

LRCB AD 2.10 AERODROME OBSTACLES

In Area 2					
OBST ID/ Designation	OBST type	OBST position	ELEV/HGT	Markings/ Type, color	Remarks
1	2	3	4	5	6
Power Line	Power Line	461551.0N 0213616.6E	405 FT/43 FT	NIL	NIL

In Area 3					
OBST ID/ Designation	OBST type	OBST position	ELEV/HGT	Markings/ Type, color	Remarks
1	2	3	4	5	6
NIL					

LRCB AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Associated MET Office	NIL
2	Hours of service MET Office outside hours	NIL
3	Office responsible for TAF preparation Periods of validity Interval of issuance	NIL
4	Type of landing forecast Interval of issuance	NIL
5	Briefing / consultation provided	NIL
6	Flight documentation Language(s) used	NIL
7	Charts and other information available for briefing or consultation	NIL
8	Supplementary equipment available for providing information	NIL
9	ATS units provided with information	NIL
10	Additional information (limitation of service, etc.)	NIL

**LRCB AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS**

Designations RWY NR	TRUE BRG	Dimensions of RWY (M)	Strength (PCN) and surface of RWY and SWY	THR coordinates RWY end coordinates THR geoid undulation	THR elevation and highest elevation of TDZ of precision APP RWY
1	2	3	4	5	6
18	188.08°	790x40	5700 Kg Grass	461631.15N 0213624.98E	360 FT
36	008.07°	790x40	5700 Kg Grass	461605.82N 0213619.78E	362 FT
Slope of RWY-SWY	SWY dimensions (M)	CWY dimensions (M)	Strip dimensions (M)	OFZ	Remarks
7	8	9	10	11	12
0,15%	NIL	NIL	850 x 60	NIL	NIL
-0,15%	NIL	NIL	850 x 60	NIL	NIL

LRCB AD 2.13 DECLARED DISTANCES

RWY designator	TORA (M)	TODA (M)	ASDA (M)	LDA (M)	Remarks
1	2	3	4	5	6
18	790	790	790	790	NIL
36	790	790	790	790	NIL

LRCB AD 2.14 APPROACH AND RWY LIGHTING

RWY Designator	APCH LGT type	THR LGT colour	VASIS (MEHT) PAPI	TDZ, LGT LEN	RWY Centre Line LGT Length, spacing, colour, INTST	RWY edge LGT LEN, spacing, colour, INTST	RWY End LGT colour WBAR	SWY LGT LEN(M) colour	Remarks
1	2	3	4	5	6	7	8	9	10
NIL									

LRCB AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	ABN / IBN location, characteristics and hours of operation	NIL
2	LDI location and LGT Anemometer location and LGT	NIL
3	TWY edge and centre line lighting	NIL
4	Secondary power supply/switch-over time	NIL
5	Remarks	NIL

LRCB AD 2.16 HELICOPTER LANDING AREA

1	Coordinates TLOF or THR of FATO Geoid undulation	NIL
2	TLOF and/or FATO elevation M/FT	NIL
3	TLOF and FATO area dimensions, surface, strength, marking	NIL
4	True and MAG BRG of FATO	NIL
5	Declared distance available	NIL
6	APP and FATO lighting	NIL
7	Remarks	NIL

LRCB AD 2.17 ATS AIRSPACE

1	Designation and lateral limits	NIL
2	Vertical limits	NIL
3	Airspace classification	NIL
4	ATS unit call sign Language(s)	NIL
5	Transition altitude	NIL
6	Hours of applicability	NIL
7	Remarks	NIL

LRCB AD 2.18 ATS COMMUNICATION FACILITIES

Service designation	Call sign	Frequency	Hours of operation	Remarks
1	2	3	4	5
NIL				

LRCB AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aid, MAG VAR CAT of ILS/MLS (For VOR/ILS/MLS give declination)	ID	Frequency	Hours of operation	Site of transmitting antenna coordinates	Elevation of DME transmitting antenna (FT)	Remarks
1	2	3	4	5	6	7
NIL						

LRCB AD 2.20 LOCAL AERODROME REGULATIONS

- NIL -

LRCB AD 2.21 NOISE ABATEMENT PROCEDURES

See AD 1.1-3

LRCB AD 2.22 FLIGHT PROCEDURES

- NIL -

LRCB AD 2.23 ADDITIONAL INFORMATION

- NIL -

LRCB AD 2.24 CHARTS RELATED TO THE AERODROME

Aerodrome Chart - ICAOAD 2.25-20
Visual Operations Chart - RWY 18/36 Aerodrome traffic circuit.....AD 2.25-40

LRCB AD 2.25 VISUAL SEGMENT SURFACE (VSS) PENETRATION

- NIL -