

**LRCS AD 2.1 AERODROME LOCATION INDICATOR AND NAME**
LRCS - CARANSEBEȘ / Banat-Caransebeș**LRCS AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA**

1	ARP coordinates and site at AD	452513N 0221508E, RWY center
2	Direction and distance from (city)	1.8 km North - East from Caransebeș
3	Elevation/Reference temperature/Mean low temperature	864 FT / 28.7°C / -
4	Geoid undulation at AD ELEV PSN	143 FT
5	MAG VAR / Annual change	6°E (2020) / 0.11°, increasing
6	AD Administration, address, telephone, telefax, e-mail, AFS, website	AEROPORTUL CARANSEBEȘ S.A. Str. Aeroportului, nr.1, Caransebeș, jud. Caraș-Severin Tel: +40-(0)722-436142 e-mail: office@banatairport.com
7	Types of traffic permitted (IFR/VFR)	VFR
8	Remarks	NIL

LRCS AD 2.3 OPERATIONAL HOURS

1	AD Administration	MON-FRI 0800-1700
2	Customs and immigration	NIL
3	Health and sanitation	NIL
4	AIS Briefing Office	NIL
5	ATS Reporting Office (ARO)	NIL
6	MET Briefing Office	NIL
7	ATS	NIL
8	Fuelling	As AD Administration
9	Handling	As AD Administration
10	Security	H24
11	De-icing	NIL
12	Remarks	Outside the operational hours of the AD, services listed above are available O/R, submitted to the AD and approved with at least 24 hours in advance.

LRCS AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	Forklift, tractors
2	Fuel/oil types	On request
3	Fuelling facilities/capacity	NIL
4	De-icing facilities	NIL
5	Hangar space for visiting aircraft	Hangars suitable for ATR 42 (tail out)
6	Repair facilities for visiting aircraft	NIL
7	Remarks	OPC (Operational Control) on frequency 131.525 MHz not available for ATS.

LRCS AD 2.5 PASSENGER FACILITIES

1	Hotels	Hotels in city.
2	Restaurants	Restaurants in city.
3	Transportation	Minibus at AD, taxis from city.
4	Medical facilities	First aid at AD. Hospitals in city.
5	Bank and Post Office	In city.
6	Tourist Office	Office in city.
7	Remarks	NIL

LRCS AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	AD category for fire fighting	Within AD HR: CAT 3.
2	Rescue equipment	NIL
3	Capability for removal of disabled aircraft	NIL
4	Remarks	NIL

**LRCS AD 2.7 SEASONAL AVAILABILITY - CLEARING**

1	Types of clearing equipment	NIL
2	Clearance priorities	NIL
3	Remarks	NIL

LRCS AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS DATA

1	Apron designation, surface and strength	Designation: APRON Surface: Concrete Strength: 6/R/B/W/T
2	Taxiway designation, width, surface and strength	Designation: TWY A Width: 15M Surface: Concrete Strength: 6/R/B/W/T
3	Altimeter checkpoint location and elevation	NIL
4	VOR checkpoints	NIL
5	INS checkpoints	NIL
6	Remarks	NIL

LRCS AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand ID signs, TWY guide lines and visual docking/parking guidance system at aircraft stands	NIL
2	RWY and TWY markings and lights	RWY: - markings: designation, THR, centre line, edge line marked white. - lights: NIL TWY A: - markings: centre line, edge lines, holding position marked yellow. - lights: NIL
3	Stop bars and runway guard lights	NIL
4	Other RWY protection measure	NIL
5	Remarks	NIL

LRCS AD 2.10 AERODROME OBSTACLES

In Area 2					
OBST ID/ Designation	OBST type	OBST position	ELEV/HGT	Markings/ Type, color	Remarks
1	2	3	4	5	6
NIL					

In Area 3					
OBST ID/ Designation	OBST type	OBST position	ELEV/HGT	Markings/ Type, color	Remarks
1	2	3	4	5	6
NIL					

LRCS AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Associated MET Office	NIL
2	Hours of service MET Office outside hours	NIL
3	Office responsible for TAF preparation Periods of validity Interval of issuance	NIL
4	Trend forecast Interval of issuance	NIL
5	Briefing / consultation provided	NIL
6	Flight documentation Language(s) used	NIL
7	Charts and other information available for briefing or consultation	NIL
8	Supplementary equipment available for providing information	NIL
9	ATS units provided with information	NIL
10	Additional information (limitation of service, etc.)	NIL

LRCS AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

RWY designator	TRUE BRG	Dimensions of RWY (M)	Strength (PCN) and surface of RWY and SWY	THR coord RWY end coord THR geoid undulation	THR elevation and highest elevation of TDZ of precision APP RWY	Slope of RWY-SWY
1	2	3	4	5	6	7
10	109.92°	2000 x 45	6/R/B/W/T Concrete	452523.84N 0221425.00E 452501.78N 0221551.48E GUND 143 FT	THR 808 FT	1.7% (1000 M) 0.0% (1000 M)
28	289.91°	2000 x 45	6/R/B/W/T Concrete	452501.78N 0221551.48E 452523.84N 0221425.00E GUND 143 FT	THR 863 FT	0.0% (1000 M) -1.7% (1000 M)
SWY dimensions (M)	CWY dimensions (M)	Strip dimensions (M)	RESA dimensions (M)	Location and description of ARST system		Remarks
8	9	10	11	12	13	14
NIL	NIL	2120 x 150	NIL	NIL	NIL	NIL
NIL	NIL	2120 x 150	NIL	NIL	NIL	NIL

LRCS AD 2.13 DECLARED DISTANCES

RWY designator	TORA (M)	TODA (M)	ASDA (M)	LDA (M)	Remarks
1	2	3	4	5	6
10	2000	2000	2000	2000	NIL
28	2000	2000	2000	2000	NIL

LRCS AD 2.14 APPROACH AND RWY LIGHTING

RWY Designator	APCH LGT type LEN INTST	THR LGT colour WBAR	VASIS (MEHT) PAPI	TDZ, LGT LEN	RWY Centre Line LGT Length, spacing, colour, INTST	RWY edge LGT LEN, spacing, colour, INTST	RWY End LGT colour WBAR	SWY LGT LEN (M) colour	Remarks
1	2	3	4	5	6	7	8	9	10
NIL									

LRCS AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	ABN / IBN location, characteristics and hours of operation	NIL
2	LDI location and LGT Anemometer location and LGT	NIL
3	TWY edge and centre line lights	NIL
4	Secondary power supply/switch-over time	NIL
5	Remarks	NIL

LRCS AD 2.16 HELICOPTER LANDING AREA

1	Coordinates TLOF or THR of FATO	NIL
2	TLOF and/or FATO elevation	NIL
3	TLOF and FATO area dimensions, surface, strength, marking	NIL
4	True BRG of FATO	NIL
5	Declared distance available	NIL
6	APP and FATO lighting	NIL
7	Remarks	NIL

LRCS AD 2.17 ATS AIRSPACE

1	Designation and lateral limits	NIL
2	Vertical limits	NIL
3	Airspace classification	NIL
4	ATS unit call sign Language(s)	NIL
5	Transition altitude	NIL
6	Hours of applicability	NIL
7	Remarks	NIL

LRCS AD 2.18 ATS COMMUNICATION FACILITIES

Service designation	Call sign	Channel	SATVOICE	Logon address	Hours of operation	Remarks
1	2	3	4	5	6	7
NIL						

LRCS AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aid, MAG VAR CAT of ILS/MLS (For VOR/ILS/MLS give declination)	ID	Frequency	Hours of operation	Position of transmitting antenna coordinates	Elevation of DME transmitting antenna	Remarks
1	2	3	4	5	6	7
NIL						

LRCS AD 2.20 LOCAL AERODROME REGULATIONS

NIL

LRCS AD 2.21 NOISE ABATEMENT PROCEDURES

NIL

LRCS AD 2.22 FLIGHT PROCEDURES

NIL

LRCS AD 2.23 ADDITIONAL INFORMATION

NIL

LRCS AD 2.24 CHARTS RELATED TO THE AERODROME

Aerodrome Chart - ICAOAD 2.6-20
Visual Operations Chart - RWY 10/28 Aerodrome traffic circuit.....AD 2.6-40

LRCS AD 2.25 VISUAL SEGMENT SURFACE (VSS) PENETRATION

NIL