

**LRCW AD 2.1 AERODROME LOCATION INDICATOR AND NAME**
LRCW - CRAIOVA/Craiova-Sud**LRCW AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA**

1	ARP coordinates and site at AD	441711N 0234728E, runway centre
2	Direction and distance from city	1km S from Craiova
3	Elevation/Reference temperature/Mean low temperature	238 FT / 26.5°C / -
4	Geoid undulation at AD ELEV PSN	133 FT
5	MAG VAR/ Annual rate of change	6°E (2022) / 6.6°E
6	Name of AD operator, address, telephone and telefax numbers, e-mail address, AFS address, website address	Aeroclubul Teritorial "G. V. Bibescu" Craiova Str. Calafatului 2G. Com. Podari, Jud. Dolj Tel: +40 747 121 558 E-mail: craiova@aeroclubulromaniei.ro
7	Types of traffic permitted (IFR/VFR)	VFR
8	Remarks	NIL

LRCW AD 2.3 OPERATIONAL HOURS

1	AD Operator	W: MON-FRI 0715-1300 S: MON-FRI 0615-1500
2	Customs and immigration	NIL
3	Health and sanitation	NIL
4	AIS Briefing Office	NIL
5	ATS Reporting Office (ARO)	NIL
6	MET Briefing Office	NIL
7	ATS	NIL
8	Fuelling	NIL
9	Handling	NIL
10	Security	NIL
11	De-icing	NIL
12	Remarks	NIL

LRCW AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	NIL
2	Fuel/Oil types	NIL
3	Fuelling facilities/capacity	NIL
4	De-icing facilities	NIL
5	Hangar space for visiting aircraft	Hangar 1: 672 m ² , maximum height 3.50 m. Hangar 2: 590 m ² , maximum height 7 m.
6	Repair facilities for visiting aircraft	PZL 104 Wilga, Glider, AN2, Savanah
7	Remarks	OPC (Operational Control) on 119.080.

LRCW AD 2.5 PASSENGER FACILITIES

1	Hotels	Hotels, hostels and motels in town
2	Restaurants	Restaurants in town
3	Transportation	"Rent-a-car" service on request from town, Taxi
4	Medical facilities	Hospital in town
5	Bank and Post Office	In town
6	Tourist Office	Tourist Info/Center in town
7	Remarks	NIL

LRCW AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	AD category for fire fighting	Within AD HR: CAT 2.
2	Rescue equipment	NIL
3	Capability for removal of disabled aircraft	One truck
4	Remarks	NIL

**LRCW AD 2.7 RUNWAY SURFACE CONDITION ASSESSMENT AND REPORTING, AND SNOW PLAN**

1	Types of clearing equipment	NIL
2	Clearance priorities	NIL
3	Use of material for movement area surface treatment	NIL
4	Specially prepared winter runways	NIL
5	Remarks	NIL

LRCW AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS DATA

1	Apron designation, surface and strength	Surface:Grass+Concrete Strength:5700kg
2	Taxiway designation, width, surface and strength	Designation TWY A Width 20 M Surface Grass Strength 5700kg
3	Altimeter checkpoints location and elevation	NIL
4	VOR checkpoints	NIL
5	INS checkpoints	NIL
6	Remarks	NIL

LRCW AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand ID signs, TWY guide lines and visual docking/parking guidance system at aircraft stands	Signals on holding points Taxi guides on TWY and RWY.
2	RWY and TWY markings and LGT	RWY: -markings: Color white: Designation, THR, edge marked white; -lights: NIL TWY: -markings: Colour yellow: orange-white cones; -lights: NIL
3	Stop bars and runway guard lights	NIL
4	Other RWY protection measure	NIL
5	Remarks	NIL

LRCW AD 2.10 AERODROME OBSTACLES

In Area 2					
OBST ID/ Designation	OBST type	OBST position	ELEV/HGT	Markings/ Type, colour	Remarks
a	b	c	d	e	f
NIL	NIL	NIL	NIL	NIL	NIL

In Area 3					
OBST ID/ Designation	OBST type	OBST position	ELEV/HGT	Markings/ Type, colour	Remarks
a	b	c	d	e	f
NIL	NIL	NIL	NIL	NIL	NIL

LRCW AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Associated MET Office	NIL
2	Hours of service MET Office outside hours	NIL
3	Office responsible for TAF preparation Periods of validity Interval of issuance	NIL
4	Trend forecast Interval of issuance	NIL
5	Briefing / consultation provided	NIL
6	Flight documentation Language(s) used	NIL
7	Charts and other information available for briefing or consultation	NIL
8	Supplementary equipment available for providing information	NIL
9	ATS units provided with information	NIL
10	Additional information (limitation of service, etc.)	NIL

**LRCW AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS**

<i>RWY Designator</i>	<i>TRUE BRG</i>	<i>Dimensions of RWY (M)</i>	<i>Strength (PCN) and surface of RWY and SWY</i>	<i>THR coord RWY end coord THR geoid undulation</i>	<i>THR elevation and highest elevation of TDZ of precision APP RWY</i>	<i>Slope of RWY-SWY</i>
1	2	3	4	5	6	7
12	130.20°	920 X 40	5700 Kg Grass	441720.87N 0234712.15E 441701.58N 0234743.78E GUND 133 FT	THR 238 FT	-0,07%
30	310.20°	920 X 40	5700 Kg Grass	441701.58N 0234743.78E 441720.87N 0234712.15E GUND 133 FT	THR 235 FT	0,07%
<i>SWY dimensions (M)</i>	<i>CWY dimensions (M)</i>	<i>Strip dimensions (M)</i>	<i>RESA dimensions (M)</i>	<i>Location and description of ARST system</i>	<i>OFZ</i>	<i>Remarks</i>
8	9	10	11	12	13	14
NIL	NIL	980 x 60	30 x 60	NIL	NIL	NIL
NIL	NIL	980 x 60	30 x 60	NIL	NIL	NIL

LRCW AD 2.13 DECLARED DISTANCES

<i>RWY designator</i>	<i>TORA (M)</i>	<i>TODA (M)</i>	<i>ASDA (M)</i>	<i>LDA (M)</i>	<i>Remarks</i>
1	2	3	4	5	6
12	920	920	920	920	NIL
30	920	920	920	920	NIL

LRCW AD 2.14 APPROACH AND RWY LIGHTING

<i>RWY Designator</i>	<i>APCH LGT type LEN INTST</i>	<i>THR LGT colour WBAR</i>	<i>VASIS (MEHT) PAPI</i>	<i>TDZ, LGT LEN</i>	<i>RWY Centre Line LGT Length, spacing, colour, INTST</i>	<i>RWY edge LGT LEN, spacing, colour, INTST</i>	<i>RWY End LGT colour WBAR</i>	<i>SWY LGT LEN (M) colour</i>	<i>Remarks</i>
1	2	3	4	5	6	7	8	9	10
NIL									

LRCW AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	ABN / IBN location, characteristics and hours of operation	NIL
2	LDI location and LGT Anemometer location and LGT	NIL
3	TWY edge and centre line lighting	NIL
4	Secondary power supply/switch-over time	NIL
5	Remarks	NIL

LRCW AD 2.16 HELICOPTER LANDING AREA

1	Coordinates TLOF or THR of FATO Geoid undulation	NIL
2	TLOF and/or FATO elevation	NIL
3	TLOF and FATO area dimensions, surface, strength, marking	NIL
4	True BRG of FATO	NIL
5	Declared distance available	NIL
6	APP and FATO lighting	NIL
7	Remarks	NIL

LRCW AD 2.17 ATS AIRSPACE

1	Designation and lateral limits	NIL
2	Vertical limits	NIL
3	Airspace classification	NIL
4	ATS unit call sign Language(s)	NIL
5	Transition altitude	NIL
6	Hours of applicability	NIL
7	Remarks	Aerodrome located within CRAIOVA CTR (see table LRCV AD 2.17 ATS AIRSPACE).

LRCW AD 2.18 ATS COMMUNICATION FACILITIES

Service designation	Call sign	Channel(s)	SATVOICE	Logon address	Hours of operation	Remarks
1	2	3	4	5	6	7
NIL						

LRCW AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aid, MAG VAR Type of supported OPS ILS classification GBAS classification (For VOR/ILS/MLS give declination)	ID	Frequency/ Channel	Hours of operation	Position of transmitting antenna coordinates	ELEV of DME transmitting antenna/ ELEV of GBAS reference point	Service volume radius from the GBAS reference point	Remarks
1	2	3	4	5	6	7	8
NIL							

LRCW AD 2.20 LOCAL AERODROME REGULATIONS

Craiova Sud aerodrome is located in CTR Craiova, class C airspace, with horizontal and vertical limits described in AIP Romania, LRCV AD 2.17 ATS AIRSPACE.

For entry permission in the controlled airspace of CTR Craiova, aircraft operating from Craiova SUD airfield shall submit a FPL and contact the Craiova Tower traffic unit from TWR Craiova (for communication channel see AD 2.9-5).

All flights are subject to ATC clearance except those evolving in restricted or segregated airspace areas.

It is forbidden to intersect the take-off / landing runway directions of Craiova International Airport (LRCV), without the prior authorization of the traffic unit from TWR Craiova.

For flights in CTR Craiova it is mandatory to equip aircraft with SSR identification system and VHF air-ground communications in 8.33 kHz spacing.

Aerodromul Craiova SUD este situat în CTR Craiova, spațiu aerian clasa C, cu limite orizontale și verticale descrise în AIP Romania, LRCV AD 2.17 ATS AIRSPACE.

Pentru permisiunea de intrare în spațiul aerian controlat al CTR Craiova, aeronavele care operează de pe aerodromul Craiova SUD vor depune FPL și vor contacta unitatea de trafic Craiova Tower de la TWR Craiova (pentru canalul de comunicații vezi AD 2.9-5). Toate zborurile sunt subiect al autorizării ATC cu excepția celor care evoluează în zone de spațiu aerian restricționate sau segregate.

Este interzisă intersectarea direcțiilor de decolare/aterizare ale pistei Aeroportului Internațional Craiova (LRCV), fără autorizarea prealabilă a unității de trafic de la TWR Craiova.

Pentru zborurile în CTR Craiova este obligatorie echiparea aeronavelor cu sistem de identificare SSR și comunicații aer-sol VHF în ecart 8.33 kHz.

LRCW AD 2.21 NOISE ABATEMENT PROCEDURES

- NIL -

LRCW AD 2.22 FLIGHT PROCEDURES

- NIL -

LRCW AD 2.23 ADDITIONAL INFORMATION

NIL

LRCW AD 2.24 CHARTS RELATED TO THE AERODROME

Aerodrome Chart - ICAO	AD 2.32-20
Visual Operations Chart - RWY 12/30 Aerodrome traffic circuit	AD 2.32-40

LRCW AD 2.25 VISUAL SEGMENT SURFACE (VSS) PENETRATION

NIL