

LRPW AD 2.1 AERODROME LOCATION INDICATOR AND NAME
LRPW - PLOIEȘTI / Gheorghe Valentin Bibescu - Ploiești**LRPW AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA**

1	ARP coordinates and site at AD	445525N 0255748E, runway center
2	Direction and distance from city	081°, 2 km from Ploiesti / 261°, 0.5 km from Strejnicu
3	Elevation/Reference temperature/Mean low temperature	573 FT / 29°C / -5°C
4	Geoid undulation at AD ELEV PSN	111 FT
5	MAG VAR/ Annual rate of change	6°E (2021) / 7'E
6	AD Operator, address, telephone, telefax, e-mail, AFS, website	AD G.V. Bibescu - Ploiești, Village Strejnicu, No. 6, CP 107592, District Târgușoru Vechi, County Prahova, Romania Tel: +40-(0)244-482014 e-mail: info@aviationacademy.ro; aerodrom@aviationacademy.ro website: lrpw.ro
7	Types of traffic permitted (IFR/VFR)	VFR
8	Remarks	NIL

LRPW AD 2.3 OPERATIONAL HOURS

1	AD Operator	MON-FRI W: 0600-1400 S: 0400-1200 SAT and SUN at writing request within 48 hours before.
2	Customs and immigration	NIL
3	Health and sanitation	NIL
4	AIS Briefing Office	NIL
5	ATS Reporting Office (ARO)	NIL
6	MET Briefing Office	NIL
7	ATS	NIL
8	Fuelling	NIL
9	Handling	NIL
10	Security	NIL
11	De-icing	NIL
12	Remarks	NIL

LRPW AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	NIL
2	Fuel/Oil types	NIL
3	Fuelling facilities/capacity	NIL
4	De-icing facilities	NIL
5	Hangar space for visiting aircraft	1024M ² , maximum height 12.5 M
6	Repair facilities for visiting aircraft	NIL
7	Remarks	OPC (Operational Control) channel 131.455.

LRPW AD 2.5 PASSENGER FACILITIES

1	Hotels	Hotels and motels in the city.
2	Restaurants	Restaurants in the city.
3	Transportation	Taxis and rent-a-car in the city
4	Medical facilities	Hospitals in the city.
5	Bank and Post Office	In the city.
6	Tourist Office	In the city.
7	Remarks	NIL

LRPW AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	AD category for fire fighting	Within AD HR: CAT 2
2	Rescue equipment	NIL
3	Capability for removal of disabled aircraft	NIL
4	Remarks	NIL

LRPW AD 2.7 RUNWAY SURFACE CONDITION ASSESSMENT AND REPORTING, AND SNOW PLAN

1	Types of clearing equipment	1 tractor with snow ploughs, 1 turbine, 1 towed sweepers
2	Clearance priorities	1. RWY 07/25 2. TWY 3. Apron 4. Heliport
3	Use of material for movement area surface treatment	NIL
4	Specially prepared winter runways	NIL
5	Remarks	Information about Runway surface condition in Global Reporting Format published by SNOWTAM. See also the snow plan in section AD 1.2.2.

LRPW AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS DATA

1	Apron designation, surface and strength	Surface: Concrete Strength: 5700 Kg
2	Taxiway designation, width, surface and strength	Designation: A B C D E Width: 11 M 11 M 11 M 11 M 11 M Surface: Asphalt Asphalt Asphalt Asphalt Grass Strength: 5700 Kg 5700 Kg 5700 Kg 5700 Kg 5700 Kg
3	ACL location and elevation	Location: THR 07 THR 25 Elevation: 573 FT 565 FT
4	VOR checkpoints	NIL
5	INS checkpoints	See Aircraft Parking/Docking Chart, AD 2.19-22.
6	Remarks	NIL

LRPW AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand ID signs, TWY guide lines and visual docking/parking guidance system at aircraft stands	Taxiing guidance signs at all intersections with TWYs and RWY and at all holding positions. Guide lines at apron. Nose-out guidance at aircraft stands. Parking assisted by marshallars at all parking stands (01-05).
2	RWY and TWY markings and LGT	RWY: - markings: color white - designation, THR, TDZ, centre line, RWY side stripes, aiming points; - lights: THR lights, end lights, edge lights. TWY: - markings: color yellow – Runway Holding Position (RHP) markings and enhanced centre line marking on TWY A, C, NO ENTRY markings on Exit TWY B, centre line, TWY designations, intermediate holding position and designation markings at TWYs intersections, taxiing guide lines (apron); - lights: blue edge, guard lights (LIH) at Runway Holding Position (RHP) on TWY A and TWY C and on the Exit TWY B. Stop bar at Runway Holding Position (RHP) on TWY A, TWY C and on the Exit TWY B.
3	Stop bars and runway guard lights	Red stop bars at all intersections of TWYs with RWY and NO ENTRY bar on TWY B.
4	Other runway protection measures	NIL
5	Remarks	See Aerodrome Ground Movement Chart, AD 2.19-21.

LRPW AD 2.10 AERODROME OBSTACLES

In approach / TKOF areas			In circling area and at AD			Remarks
1			2			3
RWY/Area affected	Obstacle type Elevation Markings/LGT	Coordinates	Obstacle type Elevation Markings/LGT	Coordinates		
a	b	c	a	b		
To be developed.						NIL

LRPW AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Associated MET Office	BANEASA
2	Hours of service MET Office outside hours	H24
3	Office responsible for TAF preparation Periods of validity Interval of issuance	NIL
4	Type of landing forecast Interval of issuance	NIL
5	Briefing / consultation provided	Met staff consultation
6	Flight documentation Language(s) used	Charts, tabular form, abbreviated plain language text Romanian/English
7	Charts and other information available for briefing or consultation	On request
8	Supplementary equipment available for providing information	Tel: +40-(0)244-482478 Fax: +40-(0)244-482477
9	ATS units provided with information	NIL
10	Additional information (limitation of service, etc.)	NIL

LRPW AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations RWY NR	TRUE BRG	Dimensions of RWY (M)	Strength (PCN) and surface of RWY and SWY	THR coord RWY end coord THR geoid undulation	THR elevation and highest elevation of TDZ of precision APP RWY	Slope of RWY-SWY
1	2	3	4	5	6	7
07	080.66°	750 x 30	5700 kg Asphalt	445523.27N 0255731.49E 445527.22N 0255805.23E GUND 111 FT	THR 573 FT	-0.33%
25	260.66°	750 x 30	5700 kg Asphalt	445527.22N 0255805.23E 445523.27E 0255731.49E GUND 111 FT	THR 565 FT	0.33%
SWY dimensions (M)	CWY dimensions (M)	Strip dimensions (M)	RESA dimensions (M)	Location and description of ARST system		Remarks
8	9	10	11	12	13	14
NIL	NIL	810 x 60	NIL	NIL	NIL	NIL
NIL	NIL	810 x 60	NIL	NIL	NIL	NIL

LRPW AD 2.13 DECLARED DISTANCES

RWY designator	TORA (M)	TODA (M)	ASDA (M)	LDA (M)	Remarks
1	2	3	4	5	6
07	750	750	750	750	NIL
25	750	750	750	750	NIL

LRPW AD 2.14 APPROACH AND RWY LIGHTING

RWY Designator	APCH LGT type LEN INTST	THR LGT colour WBAR	VASIS (MEHT) PAPI	TDZ, LGT LEN	RWY Centre Line LGT Length, spacing, colour, INTST	RWY edge LGT LEN, spacing, colour, INTST	RWY End LGT colour WBAR	SWY LGT LEN (M) colour	Remarks
1	2	3	4	5	6	7	8	9	10
07	NIL	Green	PAPI Left/3°	NIL	NIL	500 M, 50 M, White, LIH 250 M, 50 M, Yellow, LIH	Red	NIL	NIL
25	NIL	Green	PAPI Left/3°	NIL	NIL	500 M, 50 M, White, LIH 250 M, 50 M, Yellow, LIH	Red	NIL	NIL

LRPW AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	ABN / IBN location, characteristics and hours of operation	NIL
2	LDI location and LGT Anemometer location and LGT	NIL
3	TWY edge and centre line lighting	TWY A, B, C, D Edge Blue.
4	Secondary power supply/switch-over time	Secondary power supply to all lighting on the AD, 15 sec.
5	Remarks	Apron floodlights and edges blue.

LRPW AD 2.16 HELICOPTER LANDING AREA

1	Coordinates TLOF or THR of FATO Geoid undulation	445544.20N 0255739.30E 111 FT
2	TLOF and/or FATO elevation FT/M	579 FT / 177 M
3	TLOF and FATO area dimensions, surface, strength, marking	24 x 24, concrete, 5700 kg, marking H and FATO
4	True and MAG BRG of FATO	093.21° / 273.21°
5	Declared distance available	NIL
6	APP and FATO lighting	NIL
7	Remarks	NIL

LRPW AD 2.17 ATS AIRSPACE

1	Designation and lateral limits	NIL
2	Vertical limits	NIL
3	Airspace classification	NIL
4	ATS unit call sign Language(s)	NIL NIL
5	Transition altitude	NIL
6	Hours of aplicability	NIL
7	Remarks	NIL

LRPW AD 2.18 ATS COMMUNICATION FACILITIES

Service designation	Call sign	Frequency	Hours of operation	Remarks
1	2	3	4	5
NIL	NIL	NIL	NIL	NIL

LRPW AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aid, MAG VAR CAT of ILS/MLS (For VOR/ILS/MLS, give declination)	ID	Frequency	Hours of operation	Position of transmitting antenna coordinates	Elevation of DME transmitting antenna	Remarks
1	2	3	4	5	6	7
NIL	NIL	NIL	NIL	NIL	NIL	NIL

LRPW AD 2.20 LOCAL AERODROME REGULATIONS

No more than 5 aircraft in aerodrome traffic circuit.

Nu mai mult de 5 aeronave în tur de pistă.

LRPW AD 2.21 NOISE ABATEMENT PROCEDURES

- NIL -

LRPW AD 2.22 FLIGHT PROCEDURES

- NIL -

LRPW AD 2.23 ADDITIONAL INFORMATION

- NIL -

LRPW AD 2.24 CHARTS RELATED TO THE AERODROME

Aerodrome Chart - ICAO	AD 2.19-20
Aerodrome Ground Movement Chart - ICAO	AD 2.19-21
Aircraft Parking/Docking Chart - ICAO	AD 2.19-22
Visual Operations Chart - RWY 07/25 Aerodrome traffic circuit	AD 2.19-40
Visual Operations Chart - Heliport traffic circuit 09/27	AD 2.19-41

LRPW AD 2.25 VISUAL SEGMENT SURFACE (VSS) PENETRATION

- NIL -